

American-Lincoln®

The Power Behind Clean

SR9772 Rider Scrubber



A New Generation of Large Tractor Scrubbers



Before 1958, if you had a large area to scrub you did not have a machine large enough or powerful enough to get the job done. That's when American-Lincoln engineers introduced a new way to scrub large outdoor facilities with the high production tractor scrubber. Today, the engineers have taken the next step in providing powerful large area scrubbing with the SR9772 Tractor Scrubber.

Powerful, Aggressive Cleaning Features Include:

- Hydraulic brush and vacuum fan operation for trouble-free operation
- Up to 600 lbs. of downward scrub brush pressure leaves floors sparkling clean
- Parabolic squeegee with break-away feature provides a dry clean surface

Large Capacity Features Include:

- Wide 72-inch scrub path - 44% wider than the competition; gets the job done faster
- Stainless steel 200-gallon solution and 210-gallon recovery tanks mean your operator spends more time cleaning and less time refilling
- Large cleanout doors and extra long drain hose make cleanup quick and easy



New Holland TN-55 tractor provides a proven long life platform for the scrubber.



Scrub brushes with 600 lbs. of downward pressure provide the most aggressive cleaning possible.



Parabolic squeegee provides superior water pickup even during the tightest turns.

Stainless steel 200-gallon solution and 210-gallon recovery tanks are warranted for the life of the machine

Deeply padded seat and power steering in operator's compartment provide top-of-the-line comfort

Hydraulically driven roton turbine produces a clean dry surface

New Holland 53 hp, 3 cylinder diesel engine for reliable operation

Extended drain hose and large cleanout doors mean less drain and refill time

Parabolic break-away squeegee protects your investment

Wide 72-inch scrub path cleans up to 2.5 acres per hour



Cab version offers air conditioning, heater, front and rear windshield wipers, electronic instrument panel and 16 manual gear forward / 16 gear reverse transmission.




Comfortable command compartment with all the controls at your fingertips.

SR9772

Rider Scrubber

American-Lincoln®

The Power Behind Clean



KEY FEATURES

- New Holland TN-55 tractor - a name you can count on
- Aggressive scrubbing system leaves surfaces clean
- Scrubs up to 2.5 acres per hour to make quick work of large areas
- Parabolic squeegee with break-away feature leaves surfaces clean and dry

SPECIFICATIONS

Scrub Path	72 in. (182.9 cm)
Scrub Brush Pressure	600 lbs. (272 kg)
Solution Capacity	200 gal. (756 l) stainless steel
Recovery Capacity	210 gal. (794 l) stainless steel
Camel® Recycling Capacity	350 gal. (1,323 l) stainless steel
Vacuum Fan	Hydraulically driven roton turbine
Brushes (4)	18 in. (45 cm)
Vehicle Speed	0-14 mph (0-22.5 kph)
Tractor	New Holland Model TN-55
Diesel Engine	53 hp
Dimensions L x W	146 x 84 in. (371 x 213 cm)
Height w/Rollbar	95 in. (241 cm)
Height w/Rollbar Folded	72 in. (183 cm)
Height w/Cab	91 in. (231 cm)

WHO USES THIS MACHINE?

- Airports
- Airlines
- Transit garages
- Parking garages
- Manufacturing plants

WHAT ENHANCES ITS PRODUCTIVITY?

- All hydraulic systems and power steering
- Large easy-to-clean solution and recovery tanks for longer floor time between cleanups
- Wide 72 inch scrub path

WHAT ARE THE SAFETY FEATURES?

- Rack and pinion power steering for better handling
- Excellent line-of-sight from operator's compartment

WHAT DOES IT DO BEST?

- Scrubs large areas aggressively and quickly
- Dries the floor even in tight turns
- Reduces fatigue with ergonomic operator's compartment
- Provides more productivity and less downtime because of the reliable tractor platform

WHAT ADDS TO ITS DURABILITY?

- Proven tractor chassis
- All steel construction
- Heavy-duty hydraulic system backed by a three-year warranty
- Parabolic break-away squeegee
- Stainless steel solution and recovery tanks

American-Lincoln

1100 Haskins Rd
Bowling Green, OH 43402

Customer Service: 1-800-331-7692
Fax Orders to: 1-877-877-2586
Technical Service: 1-800-331-7691

DISTRIBUTED BY: